

3-Ways Wiring Diagrams

SW2500ZB & DM2500ZB

Smart switch and dimmer

zigbee 3.0

sinopé

SW2500ZB

Smart switch

Technical specifications

Operating voltage: 120 Vac, 60 Hz


Maximum load:

450 W: LED, CFL, Halogen

600 W: Incandescent

1800 W: Résistif

1/2 HP: Ceiling fan



DM2500ZB

Smart dimmer

Technical specifications


Operating voltage: 120 Vac, 60 Hz

Maximum load:

150 W: LED, CFL, Halogen

600 W: Incandescent

600 W: Halogen



Note : Refer to the installation guide for the dimmer's maximum load in a grouping installation.

Warnings

The installation of this light switch should be made by a certified electrician and must be installed in conformity with the national and local Electrical Codes.

Diagram selection

Locate in your installation where the line wire comes in and where the load wire comes out.

Select from the following options, the diagram that represents the most your installation. Then, refer to the installation guide to find how to link your switch or dimmer to your zigbee compatible hub.

Diagram 1

New installation





Diagram 2

Current installation

Desired installation





Diagram 3**Current installation****Desired installtion**

An issue? Please contact our technical support department:

Phone: 450-741-7700 #5113 / Toll free 1-855-741-7701 #5113

Email: support@sinopetech.com

You may also visit the support section on our Web site:

<http://www.sinopetech.com/en/support/#faq>

sinopé